



**Executive Engineer (Elect.)
CIVIL CONSTRUCTION WING**

PRASAR BHARATI
(BROADCASTING CORPORATION OF INDIA)

Telefax: 2493 6094
Telephone: 2492 1590
Email: ccwelect@rediffmail.com

All India Radio & Doordarshan, Block 7-10, Basement, New Bldg, TV Centre, Worli, Mumbai

No. : EEE/M/40(11)/2009-10/1443

Date:-04.03.2010

NOTICE INVITING QUOTATION

Item rate sealed quotations are hereby invited on behalf of the President of India by the undersigned, from the Agency for following work on **11.03.2010** till 3:00 p.m and will opened on same day at 3.30 p.m in the presence of authorized representatives of the questioners present, if any. The undersigned has the right to reject any or all the questioner without assigning any reasons.

Name of Work : Re-wiring in B type 2 Nos. & C type 2 Nos. quarters at ESIC colony Kotharia road, Rajkot.

Sr.No	Description of Item	Qty	Rate	Unit	Amount
1)	As per Sheet Attached				
Total					

Conditions:

1. No advance payment will be given.
2. The time limit for the work is 1 (One) Month.
3. The rate should be firm inclusive of all taxes, duties nothing will be paid extra on any amount.
4. Work is to be done per relevant CPWD specifications.

To,

EXECUTIVE ENGINEER (ELECT.)
CCW : AIR : MUMBAI

Copy to :

1. The Assistant Engineer (Elect.), CCW, AIR, Rajkot
3. A.A.O., O/o Executive Engineer (E), CCW, AIR, Mumbai.
2. The Junior Engineer (E), CCW, AIR, Ahmedabad.
4. Notice Board.
5. The Superintending Engineer, AIR, 6th floor, NBH, Sansad Marg, New Delhi 110011 with the request to upload this tender notice at AIR tender website soft copy of NIQ and blank schedule has been send to bhinternet@air.org.in.

EXECUTIVE ENGINEER (ELECT.)
CCW, AIR, Mumbai.

Name of work : Re-wiring in B type 2 Nos. & C type 2 Nos. quarters at ESIC colony Kotharia road, Rajkot.

S.N	Description of item	Quantity	Unit	Rate	Amount
	SH : I WIRING				
1	Wiring for light point / fan point / excaust fan point / call bell point with 1.5 sqmm FR PVC insulated copper conduits single core cable in surface / recesent PVC conduit with modular switch, modular plate, suitable G.I box and earthing the point with 1. a. Group 'A'	65.00	point		
2	Wiring for twin control light point with 1.5 sqmm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, 2 way modular switch, modular plate, suitable G.I box and earthing the point with 1.5 sqmm FR PVC insulated copper con	2.00	point		
3	Wiring for light plug point with 2 x1.5 sqmm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, alongwith 1 No, 1.5 sqmm FR PVC insulated copper conductor single core cable etc. as required.	50.00	metre		
4	Wiring for power plug point with following size and number for FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, alongwith following size and number FR PVC insulated copper conductor single core cable for loop earthin a. 2 x 4 sqmm x 1 x 4 sqmm earth wire	80.00	metre		
	b. 4 x 4 sqmm x 2 x 4 sqmm earth wire	30.00	metre		
5	Wiring for circuit / submain wiring alongwith earth wire with the following size of PVC insulated copper conductor single core cable in surface / recessed PVC conduit etc. as required. a. 2 x 2.5 sqmm + 1 x 2.5 sqmm earth wire (for CKT)	80.00	metre		
	b. 4 x 2.5 sqmm + 2 x 2.5 sqmm earth wire (for CKT)	20.00	metre		
	c. 2 x 6 sqmm + 1 x 6 sqmm earth wire (for submain)	25.00	metre		
6	S/F of 20mm size PVC conduit alongwith accessories in recess including cutting the wall and making good the same etc. as required (TV antenna wiring)	5.00	metre		
	SH : III M.B MCB DB & MCB				
1	S/f following way single door SPN sheet steel MCB distribution board 240 volts on surface / recess complete with tenned copper busbar nutral bar, earth bar, din bar, detachable gland plate, inter connction phosphatissed and poweder painted including earth a. 8 way	4.00	each		
	b. 4 way	5.00	each		

2	S/f 5 amp to 32 amp rating, 240 volts 'B' series miniature circuit breaker suitable for lighting and other load of following poles in the existing MCB DB complete with connection, testing and commissioning etc. as required.		
	a. Single pole.	12.00	each
	b. Single pole & neutral	4.00	each
3	S/f 25 amp double pole (single phase and neutral) 240 volts RCCB having a sensitivite current upto 300 miliamere in the existing MCB DB complete with connection, testing and commissioning etc.	5.00	each
SH : IV EARTHING			
1	Earthin with G.I earth pipe 4.5mt. Long 40mm dia including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc (but W/o chorcol or coke & salt) as required.	4.00	set
2	Extra for using salt & charcoal for pipe earth electrode as required.	4.00	set
3	Providing and laying earth connection from earth electrode with 6 swg G.I wire in 15mm dia G.I pipe from earth electrode as required.	20.00	metre
SH : V DISMANTLING			
1	Dismantling of existing surface PVC light point, fan point, call bell point, 5 amp & 15 amp. Plug point including handing over of dismantled material to ESIC authority Ahmedabad	1.00	Job
2	Dismantling of existing surface PVC circuit and subman wiring of all size including handing over of dismantled material to ESIC authority Ahmedabad	1.00	Job

EXECUTIVE ENGINEER(E)
CCW, AIR, Mumbai